



**24**  
PLAY  
BIKE





# ALONG FOR A RIDE

I make you feel **SAFE** when you take your first wobbly steps.

I encourage you **QUIETLY** to "Try again", when you rub your bruised knees.

I wait **PATIENTLY** for you in front of school every day until you come back to me.

I'm a lot of **FUN** and can even ride through the deepest of puddles.

I am ready for any **ADVENTURE** that takes me across any terrain.




I am that fuzzy, warm **FEELING** you get when you think back on your childhood.

I am a loyal **COMPANION** on all your adventures.





I am a part of the **FAMILY**

I am **YOUR PUKY**

## PUKY PLAY

	<b>MY FIRST PUKY</b> <b>4</b>		<b>BALANCE BIKES</b> <b>12</b>		<b>SCOOTER</b> <b>22</b>
<small>NEW</small>	TRAILY . . . . . 5		LRM / LRM PLUS . . . . . 13	<small>NEW</small>	R1 / R1 CLASSIC . . . . . 23
<small>NEW</small>	PUKYLINO . . . . . 6		LRM CLASSIC . . . . . 14		R03 . . . . . 24
	WUTSCH . . . . . 7		LR1 / LR1L . . . . . 15		R07L . . . . . 25
<small>NEW</small>	FITSCH . . . . . 8		LR1L BR . . . . . 16	<small>NEW</small>	PUKY SPIN . . . . . 26
<small>NEW</small>	PUKYMOTO . . . . . 9	<small>NEW</small>	LR 1L BR SUPERMOTO . . . . . 17		JOKER . . . . . 28
	<b>CEETY</b> <b>10</b>		LRXL BR . . . . . 18		SPEEDUS ONE . . . . . 29
	CEETY . . . . . 10	<small>NEW</small>	LRXL BR CLASSIC . . . . . 19		
	CEETY COMFORT . . . . . 11		LR LIGHT / LR LIGHT BR . . . . . 20		
		<small>NEW</small>	LR TRAIL PRO . . . . . 21		

## PUKY BIKE

	<b>YOUKE</b> <b>30</b>		<b>CYKE</b> <b>38</b>		<b>LS-PRO</b> <b>46</b>
<small>NEW</small>	YOUKE 12 . . . . . 31		CYKE 16 . . . . . 39	<small>NEW</small>	LS-PRO 16 . . . . . 47
<small>NEW</small>	YOUKE 12 CLASSIC . . . . . 32		CYKE 16-3 . . . . . 40	<small>NEW</small>	LS-PRO 18 . . . . . 48
<small>NEW</small>	YOUKE 16 . . . . . 33		CYKE 18 . . . . . 41	<small>NEW</small>	LS-PRO 20-7 . . . . . 49
<small>NEW</small>	YOUKE 16 CLASSIC . . . . . 34		CYKE 18-3 . . . . . 42	<small>NEW</small>	LS-PRO 24-8 . . . . . 50
<small>NEW</small>	YOUKE 18 . . . . . 35	<small>NEW</small>	CYKE 20-7 . . . . . 43	<small>NEW</small>	LS-PRO 26-8 . . . . . 51
<small>NEW</small>	YOUKE 18 CLASSIC . . . . . 36	<small>NEW</small>	CYKE 24-8 . . . . . 44		
		<small>NEW</small>	CYKE 26-8 . . . . . 45		<b>SKYRIDE</b> <b>52</b>
				<small>NEW</small>	SKYRIDE 20-3 . . . . . 53
				<small>NEW</small>	SKYRIDE 24-3 . . . . . 54
				<small>NEW</small>	SKYRIDE 24-7 . . . . . 55
				<small>NEW</small>	SKYRIDE 26-7 . . . . . 56



<b>ACCESSORIES</b> <b>57</b>			
<small>NEW</small>	PUKY HELMET . . . . . 57	TRICYCLE BELT . . . . . 60	BAGS . . . . . 62
	LUGGAGE RACK . . . . . 58	NUMBER PLATE . . . . . 60	GLOVES . . . . . 62
	ALU-LUGGAGE RACK . . . . . 58	CARRING STRAP . . . . . 60	LIGHTING SET . . . . . 62
	STAND . . . . . 58	MYSTOPY . . . . . 60	SAFETY FLAG . . . . . 63
	MUDGUARDS . . . . . 59	HANDPUMP . . . . . 60	BASKETS . . . . . 63
	SUPPORTING WHEELS . . . . . 59	<small>NEW</small>	PRESENTATION OF GOODS . . . . . 64
<small>NEW</small>	SAFETY LOCKS . . . . . 60	BICYCLE TRAINING AID . . . . . 60	
	TRICYCLE FOOTREST . . . . . 60	CRASH PAD . . . . . 61	
		BELLS . . . . . 61	





MY  
FIRST  
PUKY

PUKY  
TRAILY

NEW



SUITABLE  
ACCESSORIES



PUKY  
PLAY

TRAILY

- 2 in 1 product - long usage period (walker and trailer in one product)
- Suitable as trailer for PUKYLINO and WUTSCH (PUKYLINO and WUTSCH not included in the delivery scope)
- Stable and sturdy
- Height-adjustable slide rod
- Impact-proof handle cover
- Individually settable single wheel motion restraint (back) for an optimum dosage of counter pressure when sliding
- Removable transport storage compartment made of washable textile
- Large delivery scope - All parts are included in the delivery scope so that the product can be used in different modes
- Whisper wheels - silent wheels
- Impact-resistant powder-coating
- Made in Germany
- 3,4 kg\*\*



Trailer coupling included in the delivery scope




Max. load of vehicle < 5 kg



TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
TRAILY	71 x 39 x 23	0,13	3,4	4,0	LR150/35	



\* = Seat position from the ground (cm) · \*\* = Weight · \*\*\* = Weight (vehicle incl. packaging)

# PUKY PUKYLINO



## PUKYLINO

- Ergonomically designed seat with knee recess – gives the child a secure foothold and provides support for children's running movements
- Safety handlebar grips
- Built in steering limit with lock
- Whisper wheels - silent wheels
- Impact-resistant powder-coating
- Only suitable for indoors
- Made in Germany & GS-tested
- 2.3 kg\*\*

NEW



3034



3021



3019



3020

## PUKYLINO BUNDLE

- **BASIC FEATURES like PUKYLINO**
- Frame pocket in panda design
- Child-friendly swivel bell
- Handlebar pad
- 2.4 kg\*\*



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
PUKYLINO	51 x 27 x 17	0,02	2,3	2,6	LR150/35	LR150/35
PUKYLINO BUNDLE	51 x 27 x 17	0,02	2,4	2,7	LR150/35	LR150/35

## SUITABLE ACCESSORIES



9732

9733

**LT 3**  
Handlebar bag



9735

9734

**RT 1**  
Frame bag



9001



9002

**LP 1**  
Crash pad



9843

9845



9844

**G 18**  
Swivel bell



# PUKY WUTSCH



## WUTSCH

- Ergonomically designed seat with carrying handle and knee recess
- Swing axle
- Safety handlebar grips
- Built in steering limit with lock
- Whisper wheels - silent wheels
- Impact-resistant powder-coating
- Suitable for indoors and outdoors
- Made in Germany & GS-tested
- 2.4 kg\*\*



3032



3029



3030



3031

## WUTSCH BUNDLE

- **BASIC FEATURES like WUTSCH**
- Frame bag in a rabbit, raccoon or Berni design
- Child-friendly swivel bell
- Handlebar pad
- 2.5 kg\*\*



1900



**FC BAYERN MUNICH  
EDITION**

## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
WUTSCH	54 x 29 x 17	0,03	2,4	2,8	LR150/35	LR150/35
WUTSCH BUNDLE	54 x 29 x 17	0,03	2,5	2,9	LR150/35	LR150/35

## SUITABLE ACCESSORIES



9732

9733

**LT 3**  
Handlebar bag



9735

9734

**RT 1**  
Frame bag



9001



9002

**LP 1**  
Crash pad




9843

9845



9844

**G 18**  
Swivel bell



# PUKY FITSCH



## FITSCH CLASSIC

- Ergonomic seat with carrying handle
- Safety handlebar grips
- Built in steering limit with lock
- Whisper wheel - silent wheels
- Impact-resistant powder-coating
- Woven basket made from plastic (no splinters or breaking; no sharp edges)
- Suitable for indoors and outdoors
- Made in Germany & GS-tested
- 3.2 kg\*\*

NEW



2515

## FITSCH BUNDLE

- BASIC FEATURES like FITSCH (without woven basket)
- Frame bag in bear design
- Child-friendly swivel bell
- Handlebar pad
- 3.3 kg\*\*



2112

## SUITABLE ACCESSORIES



9732

9733

**LT 3**  
Handlebar bag



9736

**RT 1**  
Frame bag



9006

9005

**LP 1**  
Crash pad




9843

9845

9844

**G 18**  
Swivel bell



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
FITSCH	42 x 36 x 27	0,04	3,2	3,9	LR225	LR150/35
FITSCH BUNDLE	42 x 36 x 27	0,04	3,3	4,0	LR225	LR150/35

# PUKY PUKYMOTO



## PUKYMOTO

- Intelligent seat adjustment above the rear axle (Smart-Turn technology)
- Ergonomic design
- Safety handlebar grips
- Built in steering limit with lock
- Whisper wheel - silent wheels
- Impact-resistant powder-coating
- Ergonomically designed seat with carrying handle and knee recess
- Suitable for indoors and outdoors
- Made in Germany & GS-tested
- 2.7 kg\*\*



3042



1901



3043



FC BAYERN MUNICH EDITION

## SUITABLE ACCESSORIES



9732

9733

**LT 3**  
Handlebar bag



9001

9002

**LP 1**  
Crash pad




9843

9845

9844

**G 18**  
Swivel bell



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
PUKYMOTO	54 x 29 x 17	0,03	2,7	3,0	LR225	LR150/35

\* = Seat position from the ground (cm) · \*\* = Weight (without pedals and basket) · \*\*\* = Weight (vehicle incl. packaging)

# PUKY CEETY



## CEETY

- Removable XL tipper body
- Big size tricycle seat – steplessly adjustable seat position
- Ergo slide rod
- Automatic switchable free wheel
- Switchable directional stability of handlebar locking mechanism
- Handbrakes
- Safety handlebar grips with impact protection
- Impact-resistant powder-coating
- Suitable for indoors and outdoors
- Made in Germany
- 5.5 kg\*\*



## SUITABLE ACCESSORIES



**LP 2**  
Crash pad



**G 18**  
Swivel bell



**DG**  
Tricycle belt



**DF 1**  
Footrest



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
CEETY	52 x 29 x 38	0,06	5,5	6,3	LR225S	LR180S

# PUKY CEETY COMFORT



## CEETY COMFORT


- Multifunctional 2-in-1 buggy tricycle – an expandable tricycle (4 expansion levels)
- Safety and comfort package:
- Removable tipper body with shopping bag
- Maintenance-free AIR-less comfort tyres
- Big size tricycle seat – steplessly adjustable
- Ergo slide rod
- Automatic switchable free wheel
- Switchable directional stability of handlebar locking mechanism
- Handbrake with parking function
- Impact-resistant powder-coating
- Suitable for indoors and outdoors
- Made in Germany
- 6.2 kg\*\*



## SUITABLE ACCESSORIES



**LP 2**  
Crash pad



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
CEETY COMFORT	52 x 29 x 38	0,06	6,2	7,0	LR225/55	LR180/50



# BALANCE BIKES

PUKY  
LRM



## LRM

- Frame with low step
- Running board
- Special balance bike saddles
- Handlebar pad
- Safety handlebar grips with impact protection
- Height adjustable saddle and handlebar
- Impact-resistant powder-coating
- High-quality EVA foam tyres
- Made in Germany & GS-tested
- 3,5 kg\*\*

## LRM PLUS

- BASIC FEATURES like LR M
- Side stand
- Mudguards
- Child-friendly swivel bell
- 3,6 kg\*\*



4064



4061



4055



3097

## SUITABLE ACCESSORIES



9006



9005

LP 2  
Crash pad



9853



9855



9854

G 20  
Swivel bell



9431



9432



9433

KS  
Safety lock



9013

CARRY  
Doll seat



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
LRM	73 x 13 x 42	0,04	3,5	4,2	LR215/50S	LR215/50S
LRM PLUS	73 x 13 x 42	0,04	3,6	4,4	LR215/50S	LR215/50S



\* = Seat position from the ground (cm) · \*\* = Weight · \*\*\* = Weight (vehicle incl. packaging)

# PUKY LRM CLASSIC



## LRM CLASSIC

- Frame with low step
- Running board
- Special balance bike saddles
- Handlebar pad
- Woven basket made from plastic (no splinters or breaking; no sharp edges)
- Side stand
- Safety handlebar grips with impact protection
- Height adjustable saddle and handlebar
- High-quality EVA foam tyres
- Impact-resistant powder-coating
- Made in Germany & GS-tested
- 3.5 kg\*\*



4093



4094



4095

## SUITABLE ACCESSORIES



9006



9005

**LP 2**  
Crash pad



9853



9855



9854

**G 20**  
Swivel bell



9437



9436

**LOCKSTAR**  
With settable number code



9013

**CARRY**  
Doll seat



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
LRM CLASSIC	73 x 13 x 42	0,04	3,5	4,2	LR215/50S	

# PUKY LRT



## LRT

- Frame with low step
- Running board
- Special balance bike saddles
- Handlebar pad
- Side stand
- Safety handlebar grips with impact protection
- Height adjustable saddle and handlebar
- Impact-resistant powder-coating
- Maintenance-free comfort tyres (50-203)
- Made in Germany & GS-tested
- 4.4 kg\*\*



4021



4066



4001

## LR1L

- **BASIC FEATURES like LR 1**
- Pneumatic comfort tyres (50-203 or 12 1/2 x 2.00)
- 4.7 kg\*\*

## SUITABLE ACCESSORIES



9006



9005

**LP 2**  
Crash pad



9853



9855



9854

**G 20**  
Swivel bell



9431



9432



9433

**KS**  
Safety lock



9013

**CARRY**  
Doll seat



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
LR 1	80 x 13 x 60	0,06	4,4	5,4	LR290/50S	
LR 1L	80 x 13 x 60	0,06	4,7	6,2	50-203 (12 1/2 x 2.00)	

\* = Seat position from the ground (cm) · \*\* = Weight (without stand) · \*\*\* = Weight (vehicle incl. packaging)



# PUKY LR 1L BR



## LR 1L BR

- Frame with low step
- Running board
- Special balance bike saddles
- Brake system suitable for children
- Handlebar pad
- Safety handlebar grips with impact protection
- Height adjustable saddle and handlebar
- Impact-resistant powder-coating
- Pneumatic comfort tyres
- (50-203 or 12 1/2 x 2.00)
- Side stand
- Impact-resistant powder-coating
- Made in Germany & GS-tested
- 5.0 kg\*\*



## TECHNICAL DATA


Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
LR 1L BR	80 x 13 x 60	0,06	5,0	6,4	50-203 (12 1/2 x 2.00)	




## SUITABLE ACCESSORIES



LP 2  
Crash pad



G 20  
Swivel bell



GLOVY  
Children's gloves



CARRY  
Doll seat



# PUKY SUPERMOTO

NEW



## LR 1L BR SUPERMOTO

- Frame with low step
- Running board
- Special balance bike saddles
- Pneumatic wheels in Skinwall-Design
- Handlebar pad
- Safety handlebar grips with impact protection
- Height adjustable saddle and handlebar
- Side stand
- Brake system suitable for children
- Plastic rear mudguard
- Number plate with the number 1
- Impact-resistant powder-coating
- Made in Germany & GS-tested
- 5.0 kg\*\*

NEW



Number plate with the number 1



Plastic rear mudguard

## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
LR 1L BR SUPERMOTO	80 x 13 x 60	0,06	5,0	6,4	50-203 (12 1/2 x 2.00)	



## SUITABLE ACCESSORIES



LP 2  
Crash pad



G 20  
Swivel bell



GLOVY  
Children's gloves



BUDDY  
Carrying strap



# PUKY LR XL BR



## LR XL BR

- Frame with low step
- Running board
- Special balance bike saddles
- Pneumatic spoked wheels with wide 2.4" optics (62-203 or 12 1/2 x 2.40)
- Handlebar pad
- Safety handlebar grips with impact protection
- Height adjustable saddle and handlebar
- Side stand
- V-brake (rear) with child-friendly brake handle
- Specially adjustable geometry for bigger/tall children
- Made in Germany & GS-tested
- 5.2 kg\*\*



4078

## SUITABLE ACCESSORIES



9006



9005

**LP 2**  
Crash pad



9853



9855



9854

**G 20**  
Swivel bell



9475



9476

**GLOVY**  
Children's gloves



9420

**BUDDY**  
Carrying strap



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
LR XL BR	96 x 13 x 55	0,07	5,2	6,7	62-203 (12 1/2 x 2.40)	



# PUKY LR XL BR CLASSIC



NEW

## SUITABLE ACCESSORIES



9006



9005

**LP 2**  
Crash pad



9853



9855



9854

**G 20**  
Swivel bell

## LR XL BR CLASSIC

- Frame with low step
- Running board
- Special balance bike saddles
- Pneumatic spoked wheels (50-203 bzw. 12 1/2 x 2.00)
- Handlebar pad
- Safety handlebar grips with impact protection
- Height adjustable saddle and handlebar
- Side stand
- V-brake (rear) with child-friendly brake handle
- Specially adjustable geometry for bigger/tall children
- Woven basket made from flexible plastic
- Child-friendly swivel bell
- Made in Germany & GS-tested
- 5.0 kg\*\*



4096

NEW



4153



9420

**BUDDY**  
Carrying strap



9437




9436

**LOCKSTAR**  
With settable number code



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
LR XL BR CLASSIC	96 x 13 x 55	0,07	5,0	6,6	50-203 (12 1/2 x 2.00)	



# PUKY LR LIGHT



## LR LIGHT

- Lightweight aluminium frame with low step
- Running board
- Special learner bike saddle with height adjustment
- Pneumatic wheels in skin wall design
- Handlebar pad
- Safety handlebar grips with impact protection
- Side stand
- Impact-resistant powder-coating
- Made in Germany & GS-tested
- 3.3 kg\*\*



4140



4141



4142

## LR LIGHT BR

- **BASIC FEATURES like LR LIGHT**
- V-brake (rear) with child-friendly brake handle
- 3.6 kg\*\*

## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
LR LIGHT	88 x 16 x 58	0,08	3,3	4,7	50-203 (12 1/2 x 2.00)	
LR LIGHT BR	88 x 16 x 58	0,08	3,6	5,1	50-203 (12 1/2 x 2.00)	

## SUITABLE ACCESSORIES



9986

9985

**G 22**  
Bell



9013

**CARRY**  
Doll seat



9475

9476

**GLOVY**  
Children's gloves



9420

**BUDDY**  
Carrying strap



# PUKY LR TRAIL PRO

NEW



## LR TRAIL PRO

- Lightweight aluminium frame with rear wheel suspension
- Removable PEGs made from aluminium
- Special learner bike saddle with height adjustment
- Extra-wide pneumatic knobby tyres (12 x 2,25)
- Handlebar pad
- Safety handlebar grips with impact protection
- Impact-resistant powder-coating
- V-brake (rear) with child-friendly brake handle
- Number plate with the number 1
- Made in Germany
- 4.2 kg\*\*

NEW



4143



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
LR TRAIL PRO	88 x 16 x 58	0,08	4,2	5,7	50-203 (12 1/2 x 2.00)	

## SUITABLE ACCESSORIES



9475

9476

**GLOVY**  
Children's gloves



9420

**BUDDY**  
Carrying strap





# SCOOTER

PUKY  
R1



## R1

- Soft comfort tyres
- Ball bearing-mounted steering
- Handlebar with impact protection, height-adjustable
- Safety handlebar grips
- Running board
- Impact-resistant powder-coating
- Made in Germany & GS-tested
- 3.3 kg\*\*

NEW



5097

NEW



5096

NEW



5098

## R1 CLASSIC

- *BASIC FEATURES like R1*
- Woven basket made from flexible plastic
- 3.3 kg\*\*

## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
R1	73 x 17 x 45	0,06	3,3	4,2	LR215/50S	LR120/30S
R1 CLASSIC	73 x 13 x 42	0,06	3,3	4,4	LR215/50S	LR120/30S

NEW

## SUITABLE ACCESSORIES



9006




9005

LP 2  
Crash pad



9853



9855



9854

G 20  
Swivel bell



9120

CHAOS BASKET M  
Handlebar basket



\* = Seat position from the ground (cm) · \*\* = Weight (without basket) · \*\*\* = Weight (vehicle incl. packaging)

# PUKY R03



## R03

- Soft comfort tyres
- Ball-bearing supported wheels and steering
- Handlebar with impact protection, height-adjustable
- Bell
- Kick-down foot brake
- Safety handlebar grips
- Running board
- Stand
- Impact-resistant powder-coating
- Made in Germany & GS-tested
- 4.1 kg\*\*



5342



1902



5346



FC BAYERN MUNICH EDITION

## SUITABLE ACCESSORIES



9006



9005

LP 2  
Crash pad



9853

9855

9854

G 20  
Swivel bell



9603

NUMBER PLATE  
With numberstickers from 0-9

# PUKY R07L



## R 07L

- Pneumatic wheels with colored sidewall
- Ball bearing-mounted spoked wheels and steering
- V-brake (rear)
- Height-adjustable handlebar
- Dual density handles
- Running board
- Side stands
- Impact-resistant powder-coating
- Coloured brake cables
- Made in Germany & GS-tested
- 6.4 kg\*\*



5400



5406

## SUITABLE ACCESSORIES



9006



9005

LP 2  
Crash pad



9986

9985

G 22  
Bell



9456

MUDGUARD SET  
Suitable for R 07L



9475


9476

GLOVY  
Children's gloves




## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
R03	88 x 16 x 45	0,06	4,1	4,9	LR215/50S	




3+

< 50kg




## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
R 07L	115 x 15 x 62	0,11	6,4	8,2	50-203 (12 1/2 x 2.00)	



4,5+

< 100 kg



NEW



**PUKY SPIN**

- One-piece bar made from high-strength aluminium
- Aluminium board – High stability for low weight
- High-quality headset
- Printed 100 mm PU rollers
- ABEC-7 ball bearing, nylon core, 85A hardness degree
- Wide, soft handles for optimum grip
- Double clamp
- Board plugs
- Impact-resistant powder-coating
- Extremely lightweight 2.9 kg\*\*



**TECHNICAL DATA**

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
SPIN	11 x 66 x 47	0,03	2,9	3,5	100/24	



# PUKY JOKER



## JOKER

- Lightweight aluminium frame
- Height-adjustable handlebar with foldable stem
- V-brake (rear and front)
- Ball bearing-mounted spoked wheels and steering
- Dual density handles
- Slip-proof footboard
- Stand
- Impact-resistant powder-coating
- Coloured brake cables
- Made in Germany
- 7.7 kg\*\*



5631



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
JOKER	135 x 17 x 63	0,14	7,7	10,0	47-307 (16 x 1.75)	



## SUITABLE ACCESSORIES



**G 22**  
Bell



**MUDGUARD SET**  
Suitable for JOKER



**GLOVY**  
Children's gloves

# PUKY SPEEDUS ONE



## SPEEDUS ONE

- Lightweight aluminium frame
- Perfectly trimmed chassis, optimum steering behaviour
- Long usage period for physical heights from 115 – 200 cm thanks to the height-adjustable handlebar
- Very quiet PU rollers
- 23 cm front wheel, 20 cm rear wheel, high-quality ball bearings (ABEC-7)
- Extra-large non-slip aluminium profile running board
- Fully-integrated side stands
- Aluminium profile rear wheel kick brake
- Compact dimensions when folded
- Impact-resistant powder-coating
- Engineered in Germany & GS-tested
- 5.4 kg\*\*



5006



5007



5009



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
SPEEDUS ONE	98 x 36 x 26	0,09	5,4	7,0	LR230/35	LR200/35



# YOUKE



## PUKY YOUKE 12

NEW



- PUKY SAFETY SET**
- Crash pad
  - Bell
  - Safety handlebar grips
  - Front and rear reflectors
  - Plastic edge protector in the front/rear wheel mudguard
  - Child orientated, non-slip pedals with third reflector
  - Enclosed chain case
  - Side stands

### YOUKE 12

- **PUKY SAFETY SET**
- Lightweight, high-quality frame made from AL6061(T6) aluminium
- Unicrown fork made from steel
- Lightweight aluminium rims
- Coaster brake
- Lightweight aluminium crank
- Wide handlebar made from lightweight aluminium
- Specially developed, comfortable and very lightweight children's saddle with an integrated saddle post
- Front wheel V-brake suitable for children
- Shaft stem for long usage period
- Child orientated ergonomics
- Impact-resistant powder-coating
- 28T / 14T gear
- Crank length 89 mm
- 7.2 kg\*\*



NEW

4155

### SUITABLE ACCESSORIES



9130

**CHAOS CONTAINER M**  
Bike rack



NEW

4156



9120

**CHAOS KORB M**  
Handlebar basket



NEW

4157

weight optimized

ALU MINIMUM

### TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
YOUKE 12	93 x 18 x 56	0,09	7,2	8,5	47-203 (12 1/2 x 1.75)	



\* = Seat position from the ground (cm) · \*\* = Weight (without pedals, stand and basket) · \*\*\* = Weight (vehicle incl. packaging)



# PUKY YOUKE 12 CLASSIC



NEW

### PUKY SAFETY SET

- Crash pad
- Bell
- Safety handlebar grips
- Front and rear reflectors
- Plastic edge protector in the front/rear wheel mudguard
- Child orientated, non-slip pedals with third reflector
- Enclosed chain case
- Side stands

## YOUKE 12 CLASSIC

- **PUKY SAFETY SET**
- Lightweight, high-quality frame made from AL6061(T6) aluminium
- Unicrown fork made from steel
- Lightweight aluminium rims
- Coaster brake
- Lightweight aluminium crank
- Wide handlebar made from lightweight aluminium
- Specially developed, comfortable and very lightweight children's saddle with an integrated saddle post
- Front wheel V-brake suitable for children
- Shaft stem for long usage period
- Child orientated ergonomics
- Woven basket made from flexible plastic
- Luggage carrier with lashing strap
- Impact-resistant powder-coating
- 28T / 14T gear
- Crank length 89 mm
- 7.2 kg\*\*

NEW



4126

NEW



4127

## SUITABLE ACCESSORIES



9611

9585

### PUKY HELMET M

With rotating adjustment system



9437


9436

### LOCKSTAR

With settable number code

### ADDITIONAL ACCESSORIES

see Page 57



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
YOUKE 12 CLASSIC	93 x 18 x 56	0,09	7,2	8,8	47-203 (12 1/2 x 1.75)	

# PUKY YOUKE 16



NEW

### PUKY SAFETY SET

- Crash pad
- Bell
- Safety handlebar grips
- Front and rear reflectors
- Plastic edge protector in the front/rear wheel mudguard
- Child orientated, non-slip pedals with third reflector
- Enclosed chain case
- Side stands

## YOUKE 16

- **PUKY SAFETY SET**
- Lightweight, high-quality frame made from AL6061(T6) aluminium
- Unicrown fork made from steel
- Lightweight aluminium rims
- Coaster brake
- Lightweight aluminium crank
- Wide handlebar made from lightweight aluminium
- Specially developed, comfortable and very lightweight children's saddle with an integrated saddle post
- Front wheel V-brake suitable for children
- Shaft stem for long usage period
- Child orientated ergonomics
- Impact-resistant powder-coating
- 28T / 15T gear
- Crank length 102 mm
- 8.2 kg\*\*

NEW



4231

NEW



4239

NEW



4237

## SUITABLE ACCESSORIES



9132

### CHAOS CONTAINER L

Bike rack

9010



9009

### LP 3

Crash Pad

### ADDITIONAL ACCESSORIES

see Page 57



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
YOUKE 16	109 x 18 x 63	0,12	8,2	9,9	47-305 (16 x 1.75)	

\* = Seat position from the ground (cm) · \*\* = Weight (without pedals, stand and basket) · \*\*\* = Weight (vehicle incl. packaging)

# PUKY YOUKE 16 CLASSIC



NEW

### PUKY SAFETY SET

- Crash pad
- Bell
- Safety handlebar grips
- Front and rear reflectors
- Plastic edge protector in the front/rear wheel mudguard
- Child orientated, non-slip pedals with third reflector
- Enclosed chain case
- Side stands

## YOUKE 16 CLASSIC

- **PUKY SAFETY SET**
- Lightweight, high-quality frame made from AL6061(T6) aluminium
- Unicrown fork made from steel
- Lightweight aluminium rims
- Coaster brake
- Lightweight aluminium crank
- Wide handlebar made from lightweight aluminium
- Specially developed, comfortable and very lightweight children's saddle with an integrated saddle post
- Front wheel V-brake suitable for children
- Shaft stem for long usage period
- Child orientated ergonomics
- Woven basket made from flexible plastic
- Luggage carrier with lashing strap
- Impact-resistant powder-coating
- 28T / 15T gear
- Crank length 102 mm
- 8.2 kg\*\*

NEW



4240

NEW



4241

## SUITABLE ACCESSORIES



9611



9585

### PUKY HELMET M

With rotating adjustment system



9437



9436

### LOCKSTAR

With settable number code

### ADDITIONAL ACCESSORIES

see Page 57



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
YOUKE 16 CLASSIC	109 x 18 x 63	0,12	8,2	10,2	47-305 (16 x 1,75)	



# PUKY YOUKE 18



NEW

### PUKY SAFETY SET

- Crash pad
- Bell
- Safety handlebar grips
- Front and rear reflectors
- Plastic edge protector in the front/rear wheel mudguard
- Child orientated, non-slip pedals with third reflector
- Enclosed chain case
- Side stands

## YOUKE 18

- **PUKY SAFETY SET**
- Lightweight, high-quality frame made from AL6061(T6) aluminium
- Unicrown fork made from steel
- Lightweight aluminium rims
- Coaster brake
- Lightweight aluminium crank
- Wide handlebar made from lightweight aluminium
- Specially developed, comfortable and very lightweight children's saddle with an integrated saddle post
- Front wheel V-brake suitable for children
- Shaft stem for long usage period
- Child orientated ergonomics
- Impact-resistant powder-coating
- 28T / 15T gear
- Crank length 114 mm
- 8.2 kg\*\*

NEW



4350

NEW



4351

NEW



4352


## SUITABLE ACCESSORIES



9132

### CHAOS CONTAINER L

Bike rack



9010

9009

### LP 3

Crash Pad


### ADDITIONAL ACCESSORIES

see Page 57



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
YOUKE 18	119 x 20 x 70	0,16	8,7	10,8	47-355 (18 x 1,75)	



# PUKY YOUKE 18 CLASSIC



NEW

## PUKY SAFETY SET

- Crash pad
- Bell
- Safety handlebar grips
- Front and rear reflectors
- Plastic edge protector in the front/rear wheel mudguard
- Child orientated, non-slip pedals with third reflector
- Enclosed chain case
- Side stands

## YOUKE 18 CLASSIC

- **PUKY SAFETY SET**
- Lightweight, high-quality frame made from AL6061(T6) aluminium
- Unicrown fork made from steel
- Lightweight aluminium rims
- Coaster brake
- Lightweight aluminium crank
- Wide handlebar made from lightweight aluminium
- Specially developed, comfortable and very lightweight children's saddle with an integrated saddle post
- Front wheel V-brake suitable for children
- Shaft stem for long usage period
- Child orientated ergonomics
- Woven basket made from flexible plastic
- Luggage carrier with lashing strap
- Impact-resistant powder-coating
- 28T / 15T gear
- Crank length 114 mm
- 8.2 kg\*\*

NEW



4339

NEW



4340

## SUITABLE ACCESSORIES



9611

9585

### PUKY HELMET M

With rotating adjustment system



9437

9436

### LOCKSTAR

With settable number code


### ADDITIONAL ACCESSORIES

see Page 57



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
YOUKE 18 CLASSIC	119 x 20 x 70	0,16	8,7	11,1	47-355 (18 x 1,75)	





# CYKE

## PUKY CYKE 16



### PUKY SAFETY SET

- Crash pad
- Bell
- Safety handlebar grips
- Front and rear reflectors
- Plastic edge protector in the front/rear wheel mudguard
- Child orientated, non-slip pedals with third reflector
- Enclosed chain case
- Side stand

### CYKE 16

- PUKY SAFETY SET
- Standardised and child-compatible V-brakes (front) - optimum dosed braking force, settable brake lever (reach)
- Coaster brake
- Lightweight aluminium frame and lightweight aluminium components - handlebar, cranks, rims
- Child orientated ergonomics low frame height with low standover height
- Impact-resistant powder-coating
- 28T / 15T gear
- Crank length 89 mm
- 7.6 kg\*\*



4367

### CYKE 16 FREEWHEEL

- BASIC FEATURES like CYKE 16
- PUKY SAFETY SET
- Standardised and child-compatible V-brakes, front and rear
- Smooth and intuitive free wheel - the crank can turn freely for an optimum starting position
- Bike rack in accessories
- 28T / 15T gear for easier pedalling / starting off
- Crank length 89 mm
- 7.6 kg\*\*



4363



4366

### SUITABLE ACCESSORIES



KS  
Safety lock



9461


RACK  
Suitable for CYKE 16

ADDITIONAL ACCESSORIES  
see Page 57



### TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
CYKE 16	118 x 18 x 73	0,15	7,6	9,6	47-305 (16 x 1.75)	
CYKE 16 Freewheel	118 x 18 x 73	0,15	7,6	9,6	47-305 (16 x 1.75)	



\* = Seat position from the ground (cm) · \*\* = Weight (without pedals, stand and basket) · \*\*\* = Weight (vehicle incl. packaging)

# PUKY CYKE 16-3



## PUKY SAFETY SET

- Crash pad
- Bell
- Safety handlebar grips
- Front and rear reflectors
- Plastic edge protector in the front/rear wheel mudguard
- Child orientated, non-slip pedals with third reflector
- Enclosed chain case
- Side stand

## CYKE 16-3 FREEWHEEL

- **BASIC FEATURES like CYKE 16**
- **PUKY SAFETY SET**
- Standardised and child-compatible V-brakes, front and rear
- Smooth and intuitive free wheel - the crank can turn freely for an optimum starting position
- 3-speed free-wheel hub gear
- Bike rack in accessories
- 28T / 15T gear
- Crank length 89 mm
- 8.2 kg\*\*



4430

## SUITABLE ACCESSORIES



9022



**LUMI**  
LED lighting set



9461

**RACK**  
Suitable for CYKE 16

**ADDITIONAL ACCESSORIES**  
see Page 57



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
CYKE 16-3 Freewheel	118 x 18 x 73	0,15	8,2	9,2	47-305 (16 x 1.75)	

# PUKY CYKE 18



## PUKY SAFETY SET

- Crash pad
- Bell
- Safety handlebar grips
- Front and rear reflectors
- Plastic edge protector in the front/rear wheel mudguard
- Child orientated, non-slip pedals with third reflector
- Enclosed chain case
- Side stand

## CYKE 18

- **PUKY SAFETY SET**
- Standardised and child-compatible V-brakes (front) - optimum dosed braking force, settable brake lever (reach)
- Coaster brake
- Lightweight aluminium frame and lightweight aluminium components - handlebar, cranks, rims
- Child orientated ergonomics low frame height with low standover height
- Impact-resistant powder-coating
- 28T / 15T gear
- Crank length 8102 mm
- 7.9 kg\*\*



4429

## SUITABLE ACCESSORIES



9431

9432

9433

**KS**  
Safety lock

## CYKE 18 FREEWHEEL

- **BASIC FEATURES like CYKE 18**
- **PUKY SAFETY SET**
- Standardised and child-compatible V-brakes, front and rear
- Smooth and intuitive free wheel - the crank can turn freely for an optimum starting position
- Bike rack in accessories
- 28T / 15T gear for easier pedalling / starting off
- Crank length 102 mm
- 7.9 kg\*\*



4427




4428



9462

**RACK**  
Suitable for CYKE 18

**ADDITIONAL ACCESSORIES**  
see Page 57



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
CYKE 18	119 x 19 x 82	0,18	7,9	9,8	47-355 (18 x 1.75)	
CYKE 18 Freewheel	119 x 19 x 82	0,18	7,9	9,8	47-355 (18 x 1.75)	

\* = Seat position from the ground (cm) · \*\* = Weight (without pedals, stand and basket) · \*\*\* = Weight (vehicle incl. packaging)

# PUKY CYKE 18-3



## PUKY SAFETY SET

- Crash pad
- Bell
- Safety handlebar grips
- Front and rear reflectors
- Plastic edge protector in the front/rear wheel mudguard
- Child orientated, non-slip pedals with third reflector
- Enclosed chain case
- Side stand

## CYKE 18-3 FREEWHEEL

- **BASIC FEATURES like CYKE 18**
- **PUKY SAFETY SET**
- Standardised and child-compatible V-brakes, front and rear
- Smooth and intuitive free wheel - the crank can turn freely for an optimum starting position
- 3-speed free-wheel hub gear
- Bike rack in accessories
- 28T / 15T gear
- Crank length 102 mm
- 8.5 kg\*\*



4431



## SUITABLE ACCESSORIES



9022


**LUMI**  
LED lighting set



9462

**RACK**  
Suitable for CYKE 18

**ADDITIONAL ACCESSORIES**  
see Page 57



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
CYKE 18-3 Freewheel	119 x 19 x 82	0,18	8,5	10,4	47-355 (18 x 1.75)	

# PUKY CYKE 20-7



NEW

## BASIC FEATURES

- Lightweight aluminium frame and aluminium components – fork, handlebar, rims, saddle post, cranksset
- Bell
- Semi-integrated headset
- Front and rear V-brake with adjustable brake levers
- Shaft stem for long usage period
- Lighting complies with StVZO (German road traffic licensing regulations) – lighting system with hub dynamo and LED headlamp, rear light with parking light
- FIDLOCK TWIST Bike base frame holder
- Knobby tyres with reflective stripes
- Side stand
- Non-slip pedals
- Impact-resistant powder-coating

AVAILABLE FROM 1.1.2024

## CYKE 20-7 ACTIVE

- **BASIC FEATURES**
- Child orientated ergonomics – reduced standover height upright seat position narrow bottom bracket (low Q factor)
- Comfortable and very lightweight saddle
- Patent saddle post
- 7-speed derailleur with thumb tap trigger with speed indication and ergonomically optimised shifters
- Aluminium bike rack in accessories
- 32 T / 13-28 T gear
- Crank length 127 mm
- 10 kg\*\*



NEW

4460



NEW

4461




Shaft stem



NEW

4466

## SUITABLE ACCESSORIES



9470


**ALU BIKE RACK**  
Suitable for CYKE 20



9607

**PUKY HELMET**  
With removable light module

**ADDITIONAL ACCESSORIES**  
see Page 57



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
CYKE 20-7 ACTIVE	119 x 23 x 61	0,16	10,0	12,6	50-406 (20 x 2.00)	

**PUKY  
CYKE  
24-8**



**NEW**

**BASIC FEATURES**

- Lightweight aluminium frame and aluminium components – fork, handlebar, rims, saddle post, crankset
- Bell
- Semi-integrated headset
- Front and rear V-brake with adjustable brake levers
- Shaft stem for long usage period
- Lighting complies with StVZO (German road traffic licensing regulations) – lighting system with hub dynamo and LED headlamp, rear light with parking light
- FIDLOCK TWIST Bike base frame holder
- Knobby tyres with reflective stripes
- Side stand
- Non-slip pedals
- Impact-resistant powder-coating

**AVAILABLE FROM 1.1.2024**

**CYKE 24-8 ACTIVE**

- **BASIC FEATURES**
- Child orientated ergonomics – reduced standover height upright seat position narrow bottom bracket (low Q factor)
- Comfortable and very lightweight saddle
- Patent saddle post
- 8-speed derailleur with thumb tap trigger with speed indication and ergonomically optimised shifters
- Aluminium bike rack in accessories
- 32 T / 11-34 T gear
- Crank length 152 mm
- 11 kg\*\*

**NEW**



4467

**NEW**



4468

**NEW**




4469



Child-friendly shifter with gear indicator

**TECHNICAL DATA**

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
CYKE 24-8 ACTIVE	134 x 23 x 70	0,21	11,0	13,7	54-507 (24 x 2.00)	



**8+**

32T/11-34T  
152 mm

weight optimized


ALU MINUM

**ADDITIONAL ACCESSORIES**  
see Page 57



9607

**PUKY HELMET**  
With removable light module



9471

**ALU BIKE RACK**  
Suitable for CYKE 24

**SUITABLE ACCESSORIES**

**PUKY  
CYKE  
26-8**



**NEW**

**BASIC FEATURES**

- Lightweight aluminium frame and aluminium components – fork, handlebar, rims, saddle post, crankset
- Bell
- Semi-integrated headset
- Front and rear V-brake with adjustable brake levers
- Shaft stem for long usage period
- Lighting complies with StVZO (German road traffic licensing regulations) – lighting system with hub dynamo and LED headlamp, rear light with parking light
- FIDLOCK TWIST Bike base frame holder
- Knobby tyres with reflective stripes
- Side stand
- Non-slip pedals
- Impact-resistant powder-coating

**CYKE 26-8 ACTIVE**


- **BASIC FEATURES**
- Child orientated ergonomics – reduced standover height upright seat position narrow bottom bracket (low Q factor)
- Comfortable and very lightweight saddle
- Patent saddle post
- 8-speed derailleur with thumb tap trigger with speed indication and ergonomically optimised shifters
- Aluminium bike rack in accessories
- 32 T / 11-34 T gear
- Crank length 152 mm
- 11.5 kg\*\*

**NEW**



4470

**SUITABLE ACCESSORIES**



9477

**ALU BIKE RACK**  
Suitable for CYKE 26

**ADDITIONAL ACCESSORIES**  
see Page 57



**TECHNICAL DATA**

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
CYKE 26-8 ACTIVE	145 x 24 x 79	0,27	11,5	15,1	54-559 (26 x 2.00)	



**10+**

32T/11-34T  
152 mm

weight optimized

ALU MINUM



# LS-PRO

## PUKY LS-PRO 16

NEW

### PUKY SAFETY SET

- Bell
- Crah pad
- Safety handlebar grips
- Front and rear reflectors
- Pedals with third reflector
- Lightweight enclosed Chain case
- Side stand



### SUITABLE ACCESSORIES



9023

**LUMI**  
LED lighting set



9468

**ALU BIKE RACK**  
With lashing straps



9457

**MUDGUARD SET 16**  
Easy to assemble

**ADDITIONAL ACCESSORIES**  
see Page 57

### LS-PRO 16

- **PUKY SAFETY SET**
- Lightweight aluminium frame and aluminium components – fork, handlebar, cranks, rims
- Wider and higher handlebar made from lightweight aluminium for optimum control
- Lightweight ahead stem
- Semi-integrated ahead headset
- Standardised and child-compatible V-brakes, front and rear – ergonomically adjustable and settable brake lever
- Child orientated ergonomics – reduced standover height upright seat position narrow bottom bracket (low Q factor)
- Specially developed and very lightweight children's saddle with an integrated aluminium saddle post
- Lightweight HEBIE Chainlooper chain case
- Free wheel – crank position can turn freely for an optimum pedal position
- Aluminium bike rack with accessories
- Impact-resistant powder-coating
- 28T / 15T gear
- Crank length 89 mm
- 5.5 kg\*\*

NEW



4501

NEW



4485

NEW



4486




Child-friendly brake lever.  
With the matched colour scheme of the brake lever,  
there is no confusion of the brakes.

lightweight  
5,5 kg

ALU  
MINI  
UM

### TECHNICAL DATA

Model	L x W x H	m³	kg**	kg***	F-wheel	R-wheel
LS-PRO 16-1	118 x 18 x 73	0,15	5,5	8,5	40-305 (16 x 1.50)	



28T/15T  
89 mm

★

47-58



\* = Seat position from the ground (cm) · \*\* = Weight (without pedals, stand and basket) · \*\*\* = Weight (vehicle incl. packaging)



# PUKY LS-PRO 18



NEW

### PUKY SAFETY SET

- Bell
- Crah pad
- Safety handlebar grips
- Front and rear reflectors
- Pedals with third reflector
- Lightweight enclosed Chain case
- Side stand

### SUITABLE ACCESSORIES



9023

**LUMI**  
LED lighting set

### LS-PRO 18

- **PUKY SAFETY SET**
- Lightweight aluminium frame and aluminium components – fork, handlebar, cranks, rims
- Wider and higher handlebar made from lightweight aluminium for optimum control
- Lightweight ahead stem
- Semi-integrated ahead headset
- Standardised and child-compatible V-brakes, front and rear – ergonomically adjustable and settable brake lever
- Child orientated ergonomics – reduced standover height upright seat position narrow bottom bracket (low Q factor)
- Specially developed and very lightweight children's saddle with an integrated aluminium saddle post
- Lightweight HEBIE Chainlooper chain case
- Free wheel – crank position can turn freely for an optimum pedal position
- Aluminium bike rack with accessories
- Impact-resistant powder-coating
- 28T / 15T gear
- Crank length 102 mm
- 6.0 kg\*\*

NEW



4487

NEW



4488

NEW




4489



Wide and high handlebar.  
For more control, stability and individual adjustability

### TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
LS-PRO 18-1	119 x 19 x 82	0,18	6,0	8,6	40-355 (18 x 1.50)	



# PUKY LS-PRO 20



NEW

### BASIC FEATURES

- Side stand
- Bell
- Non-slip pedals
- Front and rear reflectors

### SUITABLE ACCESSORIES



9470

**ALU BIKE RACK**  
With lashing straps

### LS-PRO 20-7

- **BASIC FEATURES**
- Lightweight aluminium frame and aluminium components – fork, handlebar, cranks, rims
- Patent saddle post
- Wide and high handlebar made from lightweight aluminium for optimum control
- Lightweight ahead stem
- Semi-integrated ahead headset
- V-brakes for the front/rear wheel – adjustable brake lever
- Child orientated ergonomics – reduced standover height upright seat position narrow bottom bracket (low Q factor)
- 7-speed derailleur
- FIDLOCK TWIST Bike base frame holder
- Aluminium bike rack with accessories
- Impact-resistant powder-coating
- 32T / 13-28T gear
- Crank length 127 mm
- 7,8 kg\*\*

NEW



4490

NEW



4491

NEW



4492



FIDLOCK TWIST Bike Base frame holder.  
Bottle holder for the frame.  
(bottle not included)



9465


**MUDGUARD SET 20**  
Easy to assemble

### ADDITIONAL ACCESSORIES

see Page 57

### TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
LS-PRO 20-7	119 x 23 x 61	0,16	7,8	10,6	40-406 (20 x 1.50)	



FIDLOCK  
READY

ALU  
MINIMUM

# PUKY LS-PRO 24-8



NEW

### BASIC FEATURES

- Side stand
- Bell
- Non-slip pedals
- Front and rear reflectors

### SUITABLE ACCESSORIES



9023

**LUMI**  
LED lighting set



9471

**ALU BIKE RACK**  
With lashing straps



9466

**MUDGUARD SET 24**  
Easy to assemble

### ADDITIONAL ACCESSORIES

see Page 57

**FIDLOCK**  
READY

lightweight  
8,9 kg

**ALU**  
MINI  
UM



Rotating grip shifter  
with speed indication



NEW

4493



NEW

4494



NEW


4495

## LS-PRO 24-8

- **BASIC FEATURES**
- Lightweight aluminium frame and aluminium components – fork, handlebar, cranks, rims
- Patent saddle post
- Wide and high handlebar made from lightweight aluminium for optimum control
- Lightweight ahead stem
- Semi-integrated ahead headset
- V-brakes for the front/rear wheel – adjustable brake lever
- Child orientated ergonomics – reduced standover height upright seat position narrow bottom bracket (low Q factor)
- 8-speed derailleur
- FIDLOCK TWIST Bike base frame holder
- Aluminium bike rack with accessories
- Impact-resistant powder-coating
- 32T / 11-34T gear
- Crank length 152 mm
- 8.9 kg\*\*

## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
LS-PRO 24-8	119 x 23 x 61	0,16	8,9	12,0	40-507 (24 x 1.50)	



# PUKY LS-PRO 26-8



NEW

### BASIC FEATURES


- Side stand
- Bell
- Non-slip pedals
- Front and rear reflectors

### SUITABLE ACCESSORIES



9023

**LUMI**  
LED lighting set



9477

**ALU BIKE RACK**  
With lashing straps



9467

**MUDGUARD SET 26**  
Easy to assemble

### ADDITIONAL ACCESSORIES

see Page 57

**FIDLOCK**  
READY

lightweight  
9,6 kg

**ALU**  
MINI  
UM



Rotating grip shifter  
with speed indication



NEW

4496



NEW

4497



NEW


4498

## LS-PRO 26-8

- **BASIC FEATURES**
- Lightweight aluminium frame and aluminium components – fork, handlebar, cranks, rims
- Patent saddle post
- Wide and high handlebar made from lightweight aluminium for optimum control
- Lightweight ahead stem
- Semi-integrated ahead headset
- V-brakes for the front/rear wheel – adjustable brake lever
- Child orientated ergonomics – reduced standover height upright seat position narrow bottom bracket (low Q factor)
- 8-speed derailleur
- FIDLOCK TWIST Bike base frame holder
- Aluminium bike rack with accessories
- Impact-resistant powder-coating
- 32T / 11-34T gear
- Crank length 152 mm
- 9.6 kg\*\*

## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
LS-PRO 26-8	145 x 24 x 79	0,27	9,6	13,0	40-559 (26 x 1.50)	



# SKYRIDE



## PUKY SKYRIDE 20-3

NEW



### BASIC FEATURES

- Lightweight aluminium frame and aluminium components – saddle post, fork, handlebar, cranks, rims
- Shaft stem for long usage period (expansion function)
- Enclosed chain case
- Specially developed, comfortable and lightweight saddle
- Child orientated ergonomics
- Lighting complies with the StVZO (German road traffic licensing regulations) – lighting system with hub dynamo and LED headlamp, rear light with parking light
- V-brakes, front and rear – adjustable brake lever
- Non-slip pedals with third reflector
- Tyres with reflective stripes
- Side stand

AVAILABLE FROM 1.1.2024

### SKYRIDE 20-3

- **BASIC FEATURES**
- Semi-integrated headset
- Aluminium bike rack with lashing straps
- Rotating grip shifter with speed indication
- 3-speed free-wheel hub gear
- 38 T / 19 T gear
- Crank length 127 mm
- 11.3 kg\*\*

NEW



4471

### SUITABLE ACCESSORIES



9611

9585

**PUKY HELMET M**  
With rotating adjustment system

NEW



4474



9437

9436

**LOCKSTAR**  
With settable number code



Rotating grip shifter with speed indication

NEW



4475

**ADDITIONAL ACCESSORIES**  
see Page 57

### TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
SKYRIDE 20-3	119 x 23 x 61	0,16	11,3	13,8	47-406 (20 x 1.75)	

138

6+

< 60 kg

115

53-65

38T/19T  
127 mm

★

59-68



\* = Seat position from the ground (cm) · \*\* = Weight (without pedals, stand and basket) · \*\*\* = Weight (vehicle incl. packaging)

# PUKY SKYRIDE 24-3



NEW

## BASIC FEATURES

- Lightweight aluminium frame and aluminium components – saddle post, fork, handlebar, cranks, rims
- Shaft stem for long usage period (expansion function)
- Enclosed chain case
- Specially developed, comfortable and lightweight saddle
- Child orientated ergonomics
- Lighting complies with the StVZO (German road traffic licensing regulations) – lighting system with hub dynamo and LED headlamp, rear light with parking light
- V-brakes, front and rear – adjustable brake lever
- Non-slip pedals with third reflector
- Tyres with reflective stripes
- Side stand

AVAILABLE FROM 1.1.2024

## SKYRIDE 24-3

- **BASIC FEATURES**
- Semi-integrated headset
- Aluminium bike rack with lashing straps
- Rotating grip shifter with speed indication
- 3-speed free-wheel hub gear
- 38 T / 19 T gear
- Crank length 152 mm
- 12.1 kg\*\*

NEW



4476

## SUITABLE ACCESSORIES



9436

9437

### LOCKSTAR

With settable number code

NEW



4477



9587

9585

### PUKY HELMET M

With rotating adjustment system

NEW




4478



Alu bike rack with lashing straps

## ADDITIONAL ACCESSORIES

see Page 57



## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
SKYRIDE 24-3	119 x 23 x 61	0,16	12,1	14,8	47-507 (24 x 1.75)	

# PUKY SKYRIDE 24-7



NEW

## BASIC FEATURES

- Lightweight aluminium frame and aluminium components – saddle post, fork, handlebar, cranks, rims
- Shaft stem for long usage period (expansion function)
- Enclosed chain case
- Specially developed, comfortable and lightweight saddle
- Child orientated ergonomics
- Lighting complies with the StVZO (German road traffic licensing regulations) – lighting system with hub dynamo and LED headlamp, rear light with parking light
- V-brakes, front and rear – adjustable brake lever
- Non-slip pedals with third reflector
- Tyres with reflective stripes
- Side stand

AVAILABLE FROM 1.1.2024

## SKYRIDE 24-7

- **BASIC FEATURES**
- Semi-integrated headset
- Aluminium bike rack with lashing straps
- Rotating grip shifter with speed indication
- 7-speed free-wheel hub gear
- 38 T / 19 T gear
- Crank length 152 mm
- 12.5 kg\*\*

NEW



4479

## SUITABLE ACCESSORIES



9436

9437

### LOCKSTAR

With settable number code

NEW



4480



9587

9585

### PUKY HELMET M

With rotating adjustment system

NEW




4481



Rotating grip shifter with speed indication

## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
SKYRIDE 24-7	119 x 23 x 61	0,16	12,5	15,0	47-507 (24 x 1.75)	



# PUKY SKYRIDE 26-7



NEW

## BASIC FEATURES

- Lightweight aluminium frame and aluminium components – saddle post, fork, handlebar, cranks, rims
- Shaft stem for long usage period (expansion function)
- Enclosed chain case
- Specially developed, comfortable and lightweight saddle
- Child orientated ergonomics
- Lighting complies with the StVZO (German road traffic licensing regulations) – lighting system with hub dynamo and LED headlamp, rear light with parking light
- V-brakes, front and rear – adjustable brake lever
- Non-slip pedals with third reflector
- Tyres with reflective stripes
- Side stand

## SKYRIDE 26-7

- **BASIC FEATURES**
- Semi-integrated headset
- Aluminium bike rack with lashing straps
- Rotating grip shifter with speed indication
- 7-speed free-wheel hub gear
- 38 T / 19 T gear
- Crank length 152 mm
- 12.8 kg\*\*

NEW



4482

NEW



4483



Alu bike rack with lashing straps



Rotating grip shifter with speed indication

## SUITABLE ACCESSORIES



9436

9437

### LOCKSTAR

With settable number code



9611

9585

### PUKY HELMET M


With rotating adjustment system

### ADDITIONAL ACCESSORIES

see Page 57

## TECHNICAL DATA

Model	L x W x H	m <sup>3</sup>	kg**	kg***	F-wheel	R-wheel
SKYRIDE 26-7	145 x 24 x 79	0,27	12,8	16,2	47-559 (26 x 1.75)	



## ACCESSORIES

### PUKY HELMET S

\*VE: 2

- Size S (48–55 cm)
- Optimum fit and positive locking thanks to rotating adjustment system (single-handed operation)
- Optimum ventilation thanks to 17 venting holes
- Integrated insect protection
- Outer shell made of durable and tough polycarbonate
- Removable light module (rear) with 3 modes
- 360° visibility thanks to 4 reflector stickers
- Only 220 g



Removable light module

### PUKY HELMET M

\*VE: 2

- Size M (54–58 cm)
- Optimum fit and positive locking thanks to rotating adjustment system (single-handed operation)
- Optimum ventilation thanks to 17 venting holes
- Integrated insect protection
- Outer shell made of durable and tough polycarbonate
- Removable light module (rear) with 3 modes
- 360° visibility thanks to 4 reflector stickers
- Only 260 g



Removable light module

ACCESSORIES

**RACK 16**

\*VE: 2

- Rack set for all CYKE 16 models
- With reflector
- Easy to assemble
- Impact-resistant powder-coating
- ISO 11243:2016 max. load 15 kg



9461

**RACK 18**

\*VE: 2

- Rack set for all CYKE 18 models
- With reflector
- Easy to assemble
- Impact-resistant powder-coating
- ISO 11243:2016 max. load 15 kg



9462

**ALU BIKE RACK 16**

\*VE: 2

- Lightweight RACKTIME aluminium bike rack with a securing strap for LS-PRO 16
- ALU fastening strut
- Impact-resistant powder-coating
- ISO 11243:2016 max. load 15 kg



9468

**ALU BIKE RACK 18**

\*VE: 2

- Lightweight RACKTIME aluminium bike rack with a securing strap for LS-PRO 18
- ALU fastening strut
- Impact-resistant powder-coating
- ISO 11243:2016 max. load 15 kg



9469

**ALU BIKE RACK 20**

\*VE: 2

- Lightweight RACKTIME aluminium bike rack with a securing strap for LS-PRO 20 and CYKE 20
- ALU fastening strut
- Impact-resistant powder-coating
- ISO 11243:2016 max. load 18 kg



9470

**ALU BIKE RACK 24**

\*VE: 2

- Lightweight RACKTIME aluminium bike rack with a securing strap for LS-PRO 24 and CYKE 24
- ALU fastening strut
- Impact-resistant powder-coating
- ISO 11243:2016 max. load 18 kg



9471

**ALU BIKE RACK 26**

\*VE: 2

- Lightweight RACKTIME aluminium bike rack with a securing strap for LS-PRO 26 and CYKE 26
- ALU fastening strut
- Impact-resistant powder-coating
- ISO 11243:2016 max. load 18 kg



9477

**FS LRM**

\*VE: 3

- Stand for Balance bike LR M



9606

**FS LR RIDE**

\*VE: 3

- Stand for Balance bike LR RIDE



9609

**FS Z8**

\*VE: 4

- Stand for STEEL 18", STEEL CLASSIC 18", 24" bicycles



9518

**FS 20**

\*VE: 4

- Stand for 20" bicycles



9622

**LS**

\*VE: 3

- Plug-on balance bike mudguard for front and rear
- Suitable for all PUKY balance bikes (not LR LIGHT, LR LIGHT BR, LR RIDE)



9415

**MUDGUARD SET R 07L**

\*VE: 2

- Mudguard set for R 07L



9456

**MUDGUARD SET JOKER**

\*VE: 2

- Mudguard set for JOKER



9455

**LS MUDGUARD SET 16**

\*VE: 2

- High quality and light SKS mudguard set with edge protection
- Easy to assemble
- For LS-PRO 16



9457

**LS MUDGUARD SET 18**

\*VE: 2

- High quality and light SKS mudguard set with edge protection
- Easy to assemble
- For LS-PRO 18



9458

**LS MUDGUARD SET 20**

\*VE: 2

- High quality and light SKS mudguard set with edge protection
- Easy to assemble
- For LS-PRO 20



9465

**LS MUDGUARD SET 24**

\*VE: 2

- High quality and light SKS mudguard set with edge protection
- Easy to assemble
- For LS-PRO 24



9466

**LS MUDGUARD SET 26**

\*VE: 2

- High quality and light SKS mudguard set with edge protection
- Easy to assemble
- For LS-PRO 26



9467

**ROOKIE WHEELS 12**

\*VE: 2

- Supporting wheels for PUKY Bikes 12"
- Easy to assemble with the included screws



9424

**ROOKIE WHEELS 16+18**

\*VE: 2

- Supporting wheels for YOUKE and CYKE Bikes 16", 18"
- Easy to assemble with the included screws



9425



**KS**

- Safety cable lock with adjustable number lock
- Length: 120 cm, Ø 10 mm

\*VE: 3



9431



9432



9433

**LOCKSTAR**

- Cable lock with freely selectable 4-digit numeric code
- Length: 70 cm, Ø 15 mm

\*VE: 3



9437



9436

**DF1**

- Tricycle footrest for all tricycles from 2002
- Made of water-repellent, durable polyester

\*VE: 5



9460

**DG**

- Three-point belt for all tricycles from 2002 (except CAT S2/CEETY CAT S6)
- Made of water-repellent, durable polyester

\*VE: 4



9312

**NUMBER PLATE**

- Number plate made of flexible plastic
- Easy to mount with Velcro straps
- Compatible with all PUKY walking bikes
- Number stickers from 0-9 to individualise the number plate in the delivery scope
- Compatible with all PUKY walking bikes (except LR LIGHT BR)

\*VE: 5



9603

**BUDDY**

- Carrying strap for all balance bikes, scooters and SPEED US (ONE/TWO)
- Easy to assemble
- Incl. storage bag
- Water-repellent, durable polyester

\*VE: 4



9420

**BRAKE ASSISTENT LRM**

- Suitable for LR M
- Easy assembly
- For a range up to 100 m
- Long battery life
- Integrated rear light

\*VE: 2



6033

**BRAKE ASSISTENT LR1L/LR 1L BR**

- Suitable for LR 1L/ LR 1L BR
- Easy assembly
- For a range up to 100 m
- Long battery life
- Integrated rear light

\*VE: 2



6034

**HP25**

- Mini handpump (Schrader valve)
- Suitable for all tricycles, balance bikes and bicycles

\*VE: 3



9473

**BICYCLE TRAINING AID**

- Bicycle training aid for all PUKY bikes from 12" up to 18"
- Saddle with built-on push bar
- Quick and easy assembly
- With ALU-Shim for use with CYKE 16+18 and LS-PRO 16+18

\*VE: 1



9480

**LP1**

- Crah pad for PUKYLINO, WUTSCH and PUKYMOTO
- Made of water-repellent, durable polyester

\*VE: 3



9002



9001

**LP2**

- Crah pad for all balance bikes (not LR LIGHT, LR LIGHT BR, LR RIDE), tricycle, FITSCH and scooters
- Easy to assemble with velcro
- Made of water-repellent, durable polyester

\*VE: 3



9006



9005

**LP3**

- Crah pad for all bicycles (not for bikes with A-head stem)
- Easy to assemble with velcro
- Made of water-repellent, durable polyester

\*VE: 3



9010



9009

**G18**

- Swivel bell for PUKYLINO, FITSCH, WUTSCH, PUKYMOTO and tricycles
- Ø 18 mm

\*VE: 5



9843



9845



9844

**G20**

- Swivel bell for balance bikes (except LR LIGHT, LR LIGHT Br, LR RIDE) and scooters (except R 07L, JOKER, SPEED US)
- Ø 20 mm

\*VE: 5



9853



9855



9854

**G22**

- Bell for balance bikes (LR LIGHT/LR LIGHT BR/ LR RIDE), bicycles and Scooter (R 07L, JOKER, SPEEDUS ONE, SPEEDUS TWO)
- Ø 22 mm

\*VE: 5



9985



9986

### LT3

- Handlebar bag for tricycles, PUKYLINO, WUTSCH, FITSCH and PUKYMOTO
- Easy to assemble with velcro
- Made of water-repellent, durable polyester

\*VE: 3



9732



9733

### RT1

- Frame bag for PUKYLINO and WUTSCH
- Easy to assemble with velcro
- Made of water-repellent, durable polyester

\*VE: 3



9734



9735

### DOLL SEAT CARRY

- Doll seat (doll not included) for balance bikes, bicycles and scooters (incl. model 2017; except R 07L)
- Easy to assemble with velcro
- Made of water-repellent, durable polyester

\*VE: 3



9013



### GLOVY

- Children's gloves
- Perfect fit thanks to the Velcro fastener
- Anti-slip palm material
- Foam padding on the inside
- Breathable materials
- Size S · for ages 2+

\*VE: 2



9475



9476

### LUMI

- LED lighting set comprising a front headlamp and rear light
- Full StVZO (German road traffic licensing regulations) approval
- Tool-free assembly: holder is suitable for Ø 18 mm - 35 mm
- Can be charged with a micro-USB cable (included in the delivery scope)
- Front/rear light with side visibility
- With battery and charging level display
- White LED front headlamp: rotating 360° holder
- Splash water protection acc. to IPX4
- High-quality aluminium casing
- lithium battery 3.7 V/1,500 mAh
- Red LED rear light: settable beam angle, lithium polymer battery 3.7 V/240 mAh

\*VE: 2



9020



9021



9022



9023



### SW3

- Safety flag for bicycles
- Mountable on the rear axle
- Divisible in the middle
- High: approx. 110 cm

\*VE: 4



9224



9225



9226

### CHAOS CONTAINER M

- Bicycle rack basket for 12" PUKY bikes STEEL, STEEL CLASSIC, YOUKE
- Rubberized steel

\*VE: 3



9130

### CHAOS CONTAINER L

- Bicycle rack basket for 16"/18" PUKY bikes STEEL and YOUKE
- Rubberized steel

\*VE: 3



9132

### CHAOS BASKET S

- Woven (handmade) handlebar basket made of flexible plastic for WUTSCH, FITSCH, PUKYMOTO and CEETY

\*VE: 3



9122

### CHAOS BASKET M

- Woven (handmade) handlebar basket made of flexible plastic for 12" Fahrrad STEEL, STEEL CLASSIC, YOUKE

\*VE: 3



9120

### CHAOS BASKET L

- Woven (handmade) handlebar basket made of flexible plastic for PUKY bikes STEEL, STEEL CLASSIC, YOUKE (not STEEL 12, STEEL CLASSIC 12, YOUKE 12")

\*VE: 3



9121



### HEIGHT MEASURING COLUMN

- Sales aid for determining the correct balance bike and bicycle size
- Approx. W: 50 cm
- H: 180 cm
- D: 45 cm



9991



### SCOOTER PRESENTATION STAND

- For approx. 5 scooters (R 03/R 03L)
- Easy assembly
- Approx. W: 63 cm
- H: 230 cm
- D: 63 cm



9889



### BALANCE BIKE PRESENTATION STAND

- For approx. 10-12 balance bikes
- Easy assembly
- Approx. W: 116 cm
- H: 220 cm
- D: 65 cm



9990



### LS-PRO DISPLAY STAND

- For 5 LS-PRO bicycles
- Approx. W: 98 cm
- H: 170 cm



9893



### ACCESSORIES BOARD

- Suitable for balance bike presentation stand
- In two positions mountable
- Approx. W: 38 cm
- H: 103 cm



9891

ACCESSORIES

# PUKY HAS CLASS



## **C** STANDS FOR COLOURFUL AND CHILD-COMPATIBLE

... because the brilliant colours, cool design and perfect ergonomics are precisely why kids love their PUKY vehicles.



## **L** STANDS FOR LONG-LASTING AND LOCAL

... because our durability promise applies to several generations, but not across borders: we produce fairly, made in Germany.

## **A** STANDS FOR AMAZING AND AGE-COMPLIANT


... because we have come up with the perfect kid's bike and our range has won numerous awards from official testing institutes.

## **S** STANDS FOR SUPER LIGHT AND SAFE

... because we want to define that feeling of lightness and ease we remember from our childhood via the weight and quality of our products.

## **S** STANDS FOR SOCIAL AND STRONG

... because by working with workshops for the disabled we want to give everyone an equal opportunity to become part of the PUKY family.



You can find more information about our promise of quality at [www.puky.de/en/qualitypromise](http://www.puky.de/en/qualitypromise)

We love our planet and want to protect it for the future by making high-quality products and guaranteeing spare parts for many years.

# MADE IN GERMANY





**PUKY GmbH & Co. KG**  
Fortunastrasse 11  
42489 Wuelfrath  
Germany  
info@puky.de

**FIND US!**  
@PUKY Official · [www.puky.de](http://www.puky.de)

We reserve the right to make changes to equipment and to make technical modifications.