



2027 Range

Oiz


ORBEA

Oiz OMX

Height (cm)	In	Sizes
155-170	61.1"-66.9"	S
165-180	65.0"-70.9"	M
178-190	70.1"-74.8"	L
185-198	72.8"-78.0"	XL

- Myo
CM
- Royal Plum-Diamond Black
Carbon View (Matt)
PJ
- Iris White-Seaweed Carbon View
(Gloss)
PK

- Fuel Carbon View-Titan Gold
(Gloss)
PL
- Caramel C. View - Leo Orange
(Gloss)
PM



Size	S	M	L	XL
1 - Seat Tube (C-T)	405	430	455	480
2 - Top Tube (EFF)	563.1	590.8	615.7	641.5
3 - Head Tube	90	90	100	115
4 - Chainstay	430	430	430	430
5 - BB Drop	42	42	42	42
6 - BB Height	334.5	334.5	334.5	334.5
7 - Wheelbase	1138	1163	1189	1217
8 - Head Angle	66.8	66.8	66.8	66.8
9 - Seat Angle	77	76.7	76.6	76.7
10 - Rake	44	44	44	44
11 - Standover	731	741	741	750
12 - Reach	425.0	450.0	472.0	495.0
13 - Stack	595.5	595.5	604.5	618.5
14 - Fork Length	530	530	530	530

Oiz M-LTD

Ref. U230

Size	Crank	Stem	Handlebar
S	170	75	760
M	170	75	760
L	175	75	760
XL	175	90	760



Iris White-Seaweed Carbon View (Gloss)
PK



Royal Plum-Diamond Black Carbon View (Matt)
PJ



Caramel C. View - Leo Orange (Gloss)
PM



Caramel C. View - Leo Orange (Gloss)
PM

Frame	Orbea Oiz Carbon OMX, Boost, BSA, I-line shock
Shock	Fox Float SL Factory 120mm Remote Push-lock Evol Kashima custom tune 190x45mm
Fork	Fox 34 Float SL Factory 120, Grip SL, Remote-Adj Push to Lock, 15x110, Kashima
Op.	Fox 34 Float SL Factory 130, Grip SL, Rem PTL, 15x110, Kashima Sram Flight Attendant SID Ultimate 120mm+190x45mm
Remote lockout	OC Squidlock MP11, Suspension + Dropper
Crankset	Sram XX SL Eagle Power Meter Dub 34t
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	
Op.	OC MC10 CB SL, Rise 20, 800mm (bar) + MC11, 0° (stem) OC MP10 CB, Rise 0, 760mm (bar) + MP21, -6° (stem)
Computer Mount	SH-MP10 specific
Integrated handlebar	OC Mountain Performance MP10 Carbon, Cockpit, Width 760
Op.	OC Mountain Performance MP10 Carbon, Cockpit, Width 760, MyO
Shifters	Sram AXS Pod Ultimate

Brakes	Sram Motive Ultimate A2 4 piston Hydraulic Disc
Op.	Shimano XTR 9200 Hydraulic Disc Trickstuff Piccola Hydraulic Disc
Rear Derailleur	Sram XX Eagle SL AXS
Chain	Sram XX-SL Eagle 12-Speed
Wheels	Oquo Mountain Performance MP30LTD
Cassette	Sram XX-1299 Eagle SL 10-52t 12-Speed
Tyres	Pirelli Scorpion XC RC 2.40" 120TPI ProWall/TLR
Op.	Schwalbe Wicked Will Evo TLE, 2.40" Speed Grip, Addix, Brown Maxxis Rekon Race 2.40" 120TPI Exo TR
Saddle	Selle Italia SLR Boost Carbon Fill, Carbon Rail Ø7x9 mm
Dropper post	Fox Transfer SL Factory Kashima Dropper 31.6
Tools 1	OC Multitool MT01 8 in 1

Oiz M-Team FACTORY

Ref. U229

Size	Crank	Stem	Handlebar
S	170	75	760
M	170	75	760
L	175	75	760
XL	175	90	760



Myo
CM



Iris White-Seaweed Carbon View (Gloss)
PK



Royal Plum-Diamond Black Carbon View (Matt)
PJ



Fuel Carbon View-Titan Gold (Gloss)
PL



Royal Plum-Diamond Black Carbon View (Matt)
PJ

Frame	Orbea Oiz Carbon OMX, Boost, BSA, I-line shock
Shock	Fox Float SL Factory 120mm Remote Push-lock Evol Kashima custom tune 190x45mm
Fork	Fox 34 Float SL Factory 120, Grip SL, Remote-Adj Push to Lock, 15x110, Kashima
Op.	Fox 34 Float SL Factory 130, Grip SL, Rem PTL, 15x110, Kashima
Remote lockout	OC Squidlock MP11, Suspension + Dropper
Crankset	Shimano XTR M9200 34T w/right side 4iiii Power Meter
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	
Op.	OC MC10 CB SL, Rise 20, 800mm (bar) + MC11, 0° (stem) OC MP10 CB, Rise 0, 760mm (bar) + MP21, -6° (stem)
Computer Mount	SH-MP10 specific
Integrated handlebar	OC Mountain Performance MP10 Carbon, Cockpit, Width 760
Op.	OC Mountain Performance MP10 Carbon, Cockpit, Width 760, MyO
Shifters	Shimano XTR M9250
Brakes	Shimano XTR 9200 Hydraulic Disc

Op.	Trickstuff Piccola Hydraulic Disc
Rear Derailleur	Shimano XTR M9250 SGS
Chain	Shimano CN-9100
Wheels	Oquo Mountain Performance MP30LTD
Cassette	Shimano CS-M9200 10-51t 12-Speed
Tyres	Pirelli Scorpion XC RC 2.40" 120TPI ProWall/TLR
Op.	Schwalbe Wicked Will Evo TLE, 2.40" Speed Grip, Addix, Brown Maxxis Rekon Race 2.40" 120TPI Exo TR
Saddle	Selle Italia SLR Boost Elite Fill, Rail Ø7 mm
Op.	Selle Italia SLR Boost Carbon Fill, Carbon Rail
Dropper post	Fox Transfer SL Factory Kashima Dropper 31.6
Tools 1	OC Multitool MT01 8 in 1

Oiz M-Team AXS

Ref. U228

Size	Crank	Stem	Handlebar
S	170	75	760
M	170	75	760
L	175	75	760
XL	175	90	760



Myo
CM



Iris White-Seaweed Carbon View (Gloss)
PK



Royal Plum-Diamond Black Carbon View
(Matt)
PJ



Fuel Carbon View-Titan Gold (Gloss)
PL



Iris White-Seaweed Carbon View (Gloss)
PK

Frame	Orbea Oiz Carbon OMX, Boost, BSA, I-line shock
Shock	Fox Float SL Factory 120mm Remote Push-lock Evol Kashima custom tune 190x45mm
Fork	Fox 34 Float SL Factory 120, Grip SL, Remote-Adj Push to Lock, 15x110, Kashima
Op.	Fox 34 Float SL Factory 130, Grip SL, Rem PTL, 15x110, Kashima Sram Flight Attendant SID Ultimate 120mm+190x45mm+X0 PM
Remote lockout	OC Squidlock MP11, Suspension + Dropper
Crankset	Sram X0 Eagle Dub Black 34t
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	
Op.	OC MC10 CB SL, Rise 20, 800mm (bar) + MC11, 0° (stem) OC MP10 CB, Rise 0, 760mm (bar) + MP21, -6° (stem)
Computer Mount	SH-MP10 specific
Integrated handlebar	OC Mountain Performance MP10 Carbon, Cockpit, Width 760
Op.	OC Mountain Performance MP10 Carbon, Cockpit, Width 760, MyO
Shifters	Sram AXS Pod

Brakes	Sram Motive Silver A2 4 piston Hydraulic Disc
Op.	Shimano XTR 9200 Hydraulic Disc
Rear Derailleur	Sram X0 Eagle AXS
Chain	Sram GX Eagle 12-Speed
Wheels	Oquo Mountain Performance MP30TEAM
Op.	Oquo Mountain Performance MP30LTD
Cassette	Sram GX-1275 Eagle 10-52t 12-Speed
Tyres	Pirelli Scorpion XC RC 2.40" 120TPI ProWall/TLR
Op.	Schwalbe Wicked Will Evo TLE, 2.40" Speed Grip, Addix, Brown Maxxis Rekon Race 2.40" 120TPI Exo TR
Saddle	Selle Italia SLR Boost Elite Fill, Rail Ø7 mm
Op.	Selle Italia SLR Boost Carbon Fill, Carbon Rail
Dropper post	OC Mountain Performance DP-MP11, 31.6mm, Dropper
Tools 1	OC Multitool MT01 8 in 1

Oiz M-PRO

Ref. U227

Size	Crank	Stem	Handlebar
S	170	75	760
M	170	75	760
L	175	75	760
XL	175	90	760



Iris White-Seaweed Carbon View (Gloss) PK



Royal Plum-Diamond Black Carbon View (Matt) PJ



Fuel Carbon View-Titan Gold (Gloss) PL



Fuel Carbon View-Titan Gold (Gloss) PL

Frame	Orbea Oiz Carbon OMX, Boost, BSA, I-line shock
Shock	Fox Float SL Factory 120mm Remote Push-lock Evol Kashima custom tune 190x45mm
Fork	Fox 34 Float SL Factory 120, Grip SL, Remote-Adj Push to Lock, 15x110, Kashima
Op.	Fox 34 Float SL Factory 130, Grip SL, Rem PTL,15x110, Kashima
Remote lockout	OC Squidlock MP11, Suspension + Dropper
Crankset	Shimano XT M8200 34t
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	
Op.	OC MC10 CB SL, Rise 20, 800mm (bar) + MC11, 0° (stem) OC MP10 CB, Rise 0, 760mm (bar) + MP21, -6° (stem)
Computer Mount	SH-MP10 specific
Integrated handlebar	OC Mountain Performance MP10 Carbon, Cockpit, Width 760
Op.	OC Mountain Performance MP10 Carbon, Cockpit, Width 760, MyO
Shifters	Shimano XT M8250
Brakes	Shimano XT 8200 Hydraulic Disc

Op.	Shimano XTR 9200 Hydraulic Disc
Rear Derailleur	Shimano XT M8250 SGS
Chain	Shimano M8100
Wheels	Oquo Mountain Performance MP30TEAM
Op.	Oquo Mountain Performance MP30LTD
Cassette	Shimano CS-M8200 10-51t 12-Speed
Tyres	Pirelli Scorpion XC RC 2.40" 120TPI ProWall/TLR
Op.	Schwalbe Wicked Will Evo TLE, 2.40" Speed Grip, Addix, Brown Maxxis Rekon Race 2.40" 120TPI Exo TR
Saddle	Selle Italia SLR Boost Elite Fill, Rail Ø7 mm
Op.	Selle Italia SLR Boost Carbon Fill, Carbon Rail
Dropper post	OC Mountain Performance DP-MP11, 31.6mm, Dropper
Tools 1	OC Multitool MT01 8 in 1


Oiz OMR

Height (cm)	In	Sizes
155-170	61.1"-66.9"	S
165-180	65.0"-70.9"	M
178-190	70.1"-74.8"	L
185-198	72.8"-78.0"	XL

Noctiluca Carbon View - Cobalt Blue (Gloss)
PP

Burning Ashes Carbon View (Matt) - Ivory White (Gloss)
PS

Frozen Concrete-Sunset Carbon View (Matt)
PQ



Size	S	M	L	XL
1 - Seat Tube (C-T)	405	430	455	480
2 - Top Tube (EFF)	563.1	590.8	615.7	641.5
3 - Head Tube	90	90	100	115
4 - Chainstay	430	430	430	430
5 - BB Drop	42	42	42	42
6 - BB Height	334.5	334.5	334.5	334.5
7 - Wheelbase	1138	1163	1189	1217
8 - Head Angle	66.8	66.8	66.8	66.8
9 - Seat Angle	77	76.7	76.6	76.7
10 - Rake	44	44	44	44
11 - Standover	731	741	741	750
12 - Reach	425.0	450.0	472.0	495.0
13 - Stack	595.5	595.5	604.5	618.5
14 - Fork Length	530	530	530	530

Oiz M10 AXS

Ref. U225

Size	Stem	Handlebar
S	75	760
M	75	760
L	75	760
XL	90	760



Noctiluca Carbon View - Cobalt Blue (Gloss)
PP



Burning Ashes Carbon View (Matt) - Ivory White (Gloss)
PS



Frozen Concrete-Sunset Carbon View (Matt)
PQ



Frozen Concrete-Sunset Carbon View (Matt)
PQ

Frame	Orbea Oiz Carbon OMR, Fiberlink, Boost, BSA, SIC, UFO, I-line shock
Shock	RockShox SID Luxe Ultimate 120mm Flight Attendant 190x45mm
Fork	RockShox SID Ultimate 120 Flight Attendant Race Day Debon Air 3-Position 15X110 Boost
Op.	Kit Fox Float SL Factory, 120mm Fork+120mm Shock Kit Fox Float SL Factory, 130mm Fork+120mm Shock
Crankset	Sram X0 Eagle AXS Power Meter Dub Black 34t
Headset	FSA 1-1/2" Integrated Aluminium Cup
Handlebar	
Op.	OC MC10 CB SL, Rise 20, 800mm (bar) + MC11, 0° (stem) OC MP10 CB, Rise 0, 760mm (bar) + MP21, -6° (stem)
Computer Mount	SH-MP10 specific
Integrated handlebar	OC Mountain Performance MP10 Carbon, Cockpit, Width 760
Shifters	Sram AXS Pod
Brakes	Sram Motive Silver A2 4 piston Hydraulic Disc
Op.	Shimano XTR 9200 Hydraulic Disc
Rear Derailleur	Sram GX Eagle AXS

Chain	Sram GX Eagle 12-Speed
Wheels	Oquo Mountain Performance MP30TEAM
Cassette	Sram GX-1275 Eagle 10-52t 12-Speed
Tyres	Maxxis Rekon Race 2.40" 120TPI Exo TR
Op.	Schwalbe Wicked Will Evo TLE, 2.40" Speed Grip, Addix, Brown Pirelli Scorpion XC RC 2.40" 120TPI ProWall/TLR
Saddle	Fizik Vento Argo X5 Alluminium 140mm
Op.	Selle Italia SLR Boost Elite Fill
Seatpost Remote	Sram Remote Dropper Lever
Dropper post	OC Mountain Control MC22, 31.6mm, Dropper
Op.	OC Mountain Performance DP-MP11, 31.6mm, Dropper
Tools 1	N/A
Op.	OC Multitool MT01 8 in 1

Oiz M10

Ref. U224

Size	Crank	Stem	Handlebar
S	170	75	760
M	170	75	760
L	175	75	760
XL	175	90	760



Noctiluca Carbon View - Cobalt Blue (Gloss)
PP



Burning Ashes Carbon View (Matt) - Ivory White (Gloss)
PS



Frozen Concrete-Sunset Carbon View (Matt)
PQ



Noctiluca Carbon View - Cobalt Blue (Gloss)
PP

Frame	Orbea Oiz Carbon OMR, Fiberlink, Boost, BSA, SIC, UFO, I-line shock
Shock	Fox Float SL Factory 120mm Remote Push-lock Evol Kashima custom tune 190x45mm
Fork	Fox 34 Float SL Factory 120, Grip SL, Remote-Adj Push to Lock, 15x110, Kashima
Op.	Fox 34 Float SL Factory 130, Grip SL, Rem PTL,15x110, Kashima
Remote lockout	OC Squidlock MP11, Suspension + Dropper
Crankset	Shimano XT M8200 34t
Headset	FSA 1-1/2" Integrated Aluminium Cup
Handlebar	
Op.	OC MC10 CB SL, Rise 20, 800mm (bar) + MC11, 0° (stem) OC MP10 CB, Rise 0, 760mm (bar) + MP21, -6° (stem)
Computer Mount	SH-MP10 specific
Integrated handlebar	OC Mountain Performance MP10 Carbon, Cockpit, Width 760
Shifters	Shimano XT M8250
Brakes	Shimano XT 8200 Hydraulic Disc
Op.	Shimano XTR 9200 Hydraulic Disc

Rear Derailleur	Shimano XT M8250 SGS
Chain	Shimano M8100
Wheels	Oquo Mountain Performance MP30TEAM
Cassette	Shimano CS-M8200 10-51t 12-Speed
Tyres	Maxxis Rekon Race 2.40" 120TPI Exo TR
Op.	Schwalbe Wicked Will Evo TLE, 2.40" Speed Grip, Addix, Brown Pirelli Scorpion XC RC 2.40" 120TPI ProWall/TLR
Saddle	Fizik Vento Argo X5 Alluminium 140mm
Op.	Selle Italia SLR Boost Elite Fill
Dropper post	OC Mountain Control MC22, 31.6mm, Dropper
Op.	OC Mountain Performance DP-MP11, 31.6mm, Dropper
Tools 1	N/A
Op.	OC Multitool MT01 8 in 1

Oiz M20

Ref. U223

Size	Crank	Stem	Handlebar
S	170	60	760
M	170	75	760
L	175	75	760
XL	175	75	760



Noctiluca Carbon View - Cobalt Blue (Gloss)
PP



Burning Ashes Carbon View (Matt) - Ivory White (Gloss)
PS



Frozen Concrete-Sunset Carbon View (Matt)
PQ



Frozen Concrete-Sunset Carbon View (Matt)
PQ

Frame	Orbea Oiz Carbon OMR, Fiberlink, Boost, BSA, SIC, UFO, I-line shock
Shock	Fox Float SL Factory 120mm Remote Push-lock Evol Kashima custom tune 190x45mm
Fork	Fox 34 Float SL Factory 120, Grip SL, Remote-Adj Push to Lock, 15x110, Kashima
Op.	Fox 34 Float SL Factory 130, Grip SL, Rem PTL,15x110, Kashima
Remote lockout	OC Squidlock MP11, Suspension + Dropper
Crankset	Shimano XT M8200 34t
Headset	FSA 1-1/2" Integrated Aluminium Cup
Handlebar	OC Mountain Performance MP30, Width 760
Op.	OC MC20 Alu SL, Rise 20, 800mm (bar) + MC20, 0° (stem)
Grips	OC Lock On
Stem	OC Mountain Performance MP21, -6°
Shifters	Shimano XT M8200 I-Spec EV
Brakes	Shimano MT600 Hydraulic Disc
Op.	Shimano XT 8200 Hydraulic Disc
Rear Derailleur	Shimano XT M8200 SGS Shadow Plus
Chain	Shimano M6100

Wheels	Oquo Mountain Performance MP28PRO
Op.	Oquo Mountain Performance MP30TEAM
Cassette	Shimano CS-M8200 10-51t 12-Speed
Tyres	Maxxis Rekon Race 2.40" 120TPI Exo TR
Op.	Schwalbe Wicked Will Evo TLE, 2.40" Speed Grip, Addix, Brown
Saddle	Fizik Vento Argo X5 Aluminium 140mm
Op.	Selle Italia SLR Boost Elite Fill
Dropper post	OC Mountain Control MC22, 31.6mm, Dropper
Op.	OC Mountain Performance DP-MP11, 31.6mm, Dropper
Tools 1	N/A
Op.	OC Multitool MT01 8 in 1

Oiz M30

Ref. U222

Size	Crank	Stem	Handlebar
S	170	60	760
M	170	75	760
L	175	75	760
XL	175	75	760



Noctiluca Carbon View - Cobalt Blue (Gloss)
PP



Burning Ashes Carbon View (Matt) - Ivory White (Gloss)
PS



Frozen Concrete-Sunset Carbon View (Matt)
PQ



Burning Ashes Carbon View (Matt) - Ivory White (Gloss)
PS

Frame	Orbea Oiz Carbon OMR, Fiberlink, Boost, BSA, SIC, UFO, I-line shock
Shock	RockShox SID Luxe Select+ 3 position120mm 190x45mm
Fork	RockShox SID Select 120 DebonAir+ RL 3-Position 15X110 Boost
Remote lockout	OC Squidlock MP11, Suspension + Dropper
Crankset	Shimano MT620 32t
Headset	FSA 1-1/2" Integrated Aluminium Cup
Handlebar	OC Mountain Performance MP30, Width 760
Op.	OC MC20 Alu SL, Rise 20, 800mm (bar) + MC20, 0° (stem)
Grips	OC Lock On
Stem	OC Mountain Performance MP21, -6°
Shifters	Shimano Deore M6200 I-Spec EV
Brakes	Shimano MT600 Hydraulic Disc
Op.	Shimano XT 8200 Hydraulic Disc
Rear Derailleur	Shimano Deore M7200 SGS Shadow Plus
Chain	Shimano M6100
Wheels	Alloy, 26c, 28H, TLR
Cassette	Shimano CS-M6200 10-51t 12-Speed


Tyres	Maxxis Rekon Race 2.40" 120TPI Exo TR
Op.	Schwalbe Wicked Will Evo TLE, 2.40" Speed Grip, Addix, Brown
Saddle	Fizik Vento Argo X5 Alluminium 140mm
Op.	Selle Italia SLR Boost Elite Fill
Dropper post	OC Mountain Control MC22, 31.6mm, Dropper
Op.	OC Mountain Performance DP-MP11, 31.6mm, Dropper
Tools 1	N/A
Op.	OC Multitool MT01 8 in 1

Oiz Hydro

Height (cm)	In	Sizes
155-170	61.1"-66.9"	S
165-180	65.0"-70.9"	M
178-190	70.1"-74.8"	L
185-198	72.8"-78.0"	XL

Blue Stone - Metallic Blue Stone (Gloss)
KX

Armor Black (Matt-Gloss)
KY



Size	S	M	L	XL
1 - Seat Tube (C-T)	410	432	460	510
2 - Top Tube (EFF)	568	594	619	645
3 - Head Tube	90	95	105	115
4 - Chainstay	436	436	436	436
6 - BB Height	333	333	333	333
9 - Seat Angle	42	42	42	42
10 - Rake	44	44	44	44
11 - Standover	67°	67°	67°	67°
12 - Reach	76.5°	76.5°	76.5°	76.5°
13 - Stack	729	743	746	743
15 - Trail Length	425	450	472	496

Oiz H10

Ref. U220

Size	Crank	Stem	Handlebar
S	170	60	760
M	170	75	760
L	175	75	760
XL	175	90	760



Blue Stone - Metallic Blue Stone (Gloss)
KX



Armor Black (Matt-Gloss)
KY



Blue Stone - Metallic Blue Stone (Gloss)
KX

Frame	Orbea Oiz Hydro High Polished, Alloy link, Boost, BSA, SIC, UFO, I-Line shock
Shock	Fox Float SL Performance 120mm Remote Push-lock Evol custom tune190x45mm
Fork	Fox 34 Float SL Performance 120, Grip, Remote Push to Lock, QR15x110
Remote lockout	OC Squidlock MP11, Suspension + Dropper
Crankset	Shimano MT520 32t
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	OC Mountain Performance MP30, Width 760
Op.	OC MC20 Alu SL, Rise 20, 800mm (bar) + MC20, 0° (stem)
Stem	OC Mountain Performance MP21, -6°
Shifters	Shimano Deore M6200
Brakes	Shimano MT410 Hydraulic Disc
Rear Derailleur	Shimano XT M8200 SGS Shadow Plus
Chain	Shimano M6100
Wheels	Alloy, 26c, 28H, TLR
Cassette	Shimano CS-M6200 10-51t 12-Speed

Tyres	Schwalbe Wicked Will Evo TLE, 29x2.40 Super Race, Speed Grip, Addix, Brown
Saddle	Fizik Vento Argo X5 Alluminium 140mm
Dropper post	OC Mountain Control MC22, 31.6mm, Dropper

Oiz H30

Ref. U219

Size	Crank	Stem	Handlebar
S	170	45	780
M	170	55	780
L	175	55	780
XL	175	55	780



Blue Stone - Metallic Blue Stone (Gloss)
KX



Armor Black (Matt-Gloss)
KY



Armor Black (Matt-Gloss)
KY

Frame	Orbea Oiz Hydro High Polished, Alloy link, Boost, BSA, SIC, UFO, I-Line shock
Shock	Fox Float SL Performance 120mm Remote Push-lock Evol custom tune190x45mm
Fork	RockShox Reba Motion Control 120 DebonAir+ RL 3-Position 15X110 Boost
Remote lockout	Fox Lockout, 2 Position, Dual
Crankset	Forged alloy, 32t
Headset	Alloy 1-1/2", Black Oxidated Bearing
Handlebar	Alloy, 35mm, Rise 12mm, 780mm
Stem	Alloy 3D forged, 35mm interface, -7°
Shifters	Shimano Deore M6200
Brakes	Shimano MT201 Hydraulic Disc
Rear Derailleur	Shimano Deore M6200 SGS Shadow Plus
Chain	KMC X12
Wheels	Alloy, 26c, 28H, TLR
Cassette	Sun Race 11-51t 12-Speed
Tyres	Maxxis Rekon 2.4" 60 TPI Rigid EXO/TR

Saddle	Fortune QF-3091
Seatpost Remote	OC Squidlock MP20-D Dropper Remote
Dropper post	OC Mountain Control MC22, 31.6mm, Dropper

ORBEA